



GLESCO-MED is committed to provide you with the highest quality surgical, electrosurgical and dental instruments. We are the original equipment manufacturer (OEM) for instruments.

Our production depth covers thousands of instruments ranging from the typical instruments use in clinic to sophisticated instruments required during surgeries. We deem, however, pertinent to submit further that the range and scope of our production activities is not limited to our production literature. We can produce instruments even if not depicted in our online catalogues. We receive samples, photos or references from the world-renowned companies catalogues.



### QUALITY/INNOVATION

At GLESCO-MED the quality is set in motion through motivated specifications planning by trained technical persons. The computer added design and imaging provide visual instruments a set configuration. This simplifies each aspect of instruments manufacturing.

### QUALITY CERTIFICATIONS:

We are ISO 9001:2015, ISO 13485:2016, CE MARK approved



### FORGING TO PACKING

From forging to packing each step is controled by our trained workers to make sure that each instruments manufactured is reflecting Hilmed's craftsmanship and committments.



### LATEST TECHNOLOGIES

Our production departments are well equipped with latest machines range from latest CNC machines, laser welding and NC machines to simple drilling machines to get the ultimate quality and process control.

European Bipolar Forceps .....	01 - 07
European Irrigation Bipolar Forceps .....	08
European Non-Stick Bipolar Forceps .....	09 - 12
USA 2 Pin Bipolar Forceps .....	13 - 16
UAA 2-Pin Non-Stick Bipolar Forceps .....	17 - 19
Silver Glide Non-Stick Bipolar Forceps .....	20 - 22
Single Use USA 2-Pin Bipolar Forceps .....	23 - 25
Single Use European Bipolar Forceps .....	26 - 27
Monopolar Cables .....	28
Bipolar Forceps Cables .....	29
Diathermy Instruments .....	30 - 31
Bipolar Artery Sealer .....	32
Bipolar Electrodes .....	33
Electrodes 2.4mm .....	34
Conization Electrodes .....	35
Electrodes 4.0mm .....	36
Patient Return Plate .....	37
Laparoscopic Electrodes .....	38
Electrosurgical Instruments for Gynecology .....	39 - 42

McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm



GM-8001

McPherson (crv.)

L= 11.5 cm

Tip 0.5 mm



GM-8002

Jeweler # 5

L= 11.5 cm

Tip 0.0 mm



GM-8003

Adson

L= 12.1 cm

Tip 0.1 mm



GM-8003

Jeweler # 4

L= 11.5 cm

Tip 0.5 mm



GM-8004

Jeweler # 7

L= 11.5 cm

Tip 0.5 mm



GM-8005








Coaptation

L= 10.8 cm

Tip 0.5 mm



GM-8006

Coaptation Nadler		GM-8007
L= 10.2 cm		
Tip 0.5 mm		
Iris (Str.)		GM-8008
L= 10.2 cm		
Tip 0.5 mm		
Iris (crv.)		GM-8009
L= 10.8 cm		
Tip 1.0 mm		
Straight		GM-8010
L= 16.0 cm		
Tip 1.0 mm		
Straight		GM-8011
L= 18.0 cm		
Tip 1.0 mm		
Straight		GM-8012
L= 20.0 cm		
Tip 1.0 mm		
Straight		GM-8013
L= 22.0 cm		
Tip 1.0 mm		



Straight (Ang.)

L= 16.0 cm

Tip 1.0 mm



GM-8014

Straight (Ang.)

L= 18.0 cm

Tip 1.0 mm



GM-8015

Straight (Ang.)

L= 20.0 cm

Tip 1.0 mm



GM-8016

Straight (Ang.)

L= 22.0 cm

Tip 1.0 mm



GM-8017

Bayonet

L= 16.0 cm

Tip 1.0 mm



GM-8018

Bayonet

L= 18.0 cm

Tip 1.0 mm



GM-8019

Bayonet

L= 20.0 cm

Tip 1.0 mm



GM-8020

Bayonet (Ang.Up)

L= 16.0 cm

Tip 1.0 mm



GM-8021

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



GM-8022

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



GM-8023

Bayonet (Ang.Down)

L= 16.0 cm

Tip 1.0 mm



GM-8024

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



GM-8025

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



GM-8026

McPherson (Str.)

L= 9.0 cm








Tip 0.5 mm



GM-8027





<p>McPherson (crv.)</p> <p>L= 11.5 cm</p> <p>Tip 0.5 mm</p>		GM-8028
<p>Jeweler # 5</p> <p>L= 11.5 cm</p> <p>Tip 0.5 mm</p>		GM-8029
<p>Jeweler # 5</p> <p>L= 11.5 cm</p> <p>Tip 0.5 mm</p>		GM-8030
<p>Jeweler # 7</p> <p>L= 11.5 cm</p> <p>Tip 0.5 mm</p>		GM-8031
<p>Adson</p> <p>L= 12.1 cm</p> <p>Tip 1.0 mm</p>		GM-8032
<p>Straight</p> <p>L= 16.0 cm</p> <p>Tip 1.0 mm</p>		GM-8033
<p>Straight</p> <p>L= 18.0 cm</p> <p>Tip 1.0 mm</p>		GM-8034



Straight

L= 20.0 cm

Tip 1.0 mm



GM-8035

Straight

L= 22.0 cm

Tip 1.0 mm



GM-8036

Straight (Ang.)

L= 16.0 cm

Tip 1.0 mm



GM-8037

Straight (Ang.)

L= 18.0 cm

Tip 1.0 mm



GM-8038

Straight (Ang.)

L= 20.0 cm

Tip 1.0 mm



GM-8039

Bayonet

L= 16.0 cm

Tip 1.0 mm



GM-8040

Bayonet

L= 18.0 cm








Tip 1.0 mm



GM-8041





Bayonet L= 22.0 cm Tip 1.0 mm		GM-8042
Bayonet (Ang.Up) L= 16.0 cm Tip 1.0 mm		GM-8043
Bayonet (Ang.Up) L= 18.0 cm Tip 1.0 mm		GM-8044
Bayonet (Ang.Up) L= 20.0 cm Tip 1.0 mm		GM-8045
Bayonet (Ang.Down) L= 16.0 cm Tip 1.0 mm		GM-8046
Bayonet (Ang.Up) L= 18.0 cm Tip 1.0 mm		GM-8047
Bayonet (Ang.Up) L= 20.0 cm Tip 1.0 mm		GM-8048

Straight

L= 16.0 cm

Tip 1.0 mm



GM-8049 IR

Straight

L= 20.0 cm

Tip 1.0 mm



GM-8050 IR

Bayonet

L= 16.0 cm

Tip 1.0 mm



GM-8051 IR

Bayonet

L= 20.0 cm

Tip 1.0 mm



GM-8052 IR



McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm



GM-8053 NS

McPherson (crv.)

L= 11.5 cm

Tip 0.5 mm



GM-8054 NS

Jeweler # 5

L= 11.5 cm

Tip 0.5 mm



GM-8055 NS

Adson

L= 12.1 cm

Tip 1.0 mm



GM-8056 NS

Jeweler # 4

L= 11.5 cm

Tip 0.5 mm



GM-8057 NS

Jeweler # 7

L= 11.5 cm

Tip 0.5 mm



GM-8058 NS

Coaptation

L= 10.8 cm

Tip 0.5 mm



GM-8059 NS

Coaptation Nadler

L= 10.2 cm

Tip 0.5 mm



GM-8060 NS

Iris (Str.)

L= 10.8 cm

Tip 0.5 mm



GM-8061 NS

Iris (crv.)

L= 10.8 cm

Tip 1.0 mm



GM-8062 NS

Straight

L= 18.0 cm

Tip 1.0 mm



GM-8063 NS

Straight

L= 20.0 cm

Tip 1.0 mm



GM-8064 NS

Straight

L= 20.0 cm

Tip 1.0 mm



GM-8065 NS

Straight

L= 22.0 cm

Tip 1.0 mm



GM-8066 NS



Straight (Ang.)

L= 16.0 cm

Tip 1.0 mm



GM-8067 NS

Straight (Ang.)

L= 18.5 cm

Tip 1.0 mm



GM-8068 NS

Straight (Ang.)

L= 20.0 cm

Tip 1.0 mm



GM-8069 NS

Straight (Ang.)

L= 22.0 cm

Tip 1.0 mm



GM-8070 NS

Bayonet

L= 16.0 cm

Tip 1.0 mm



GM-8071 NS

Bayonet

L= 18.0 cm

Tip 1.0 mm



GM-8072 NS

Bayonet

L= 20.0 cm

Tip 1.0 mm



GM-8073 NS

Bayonet (Ang.Up)

L= 16.0 cm

Tip 1.0 mm



GM-8074 NS

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



GM-8075 NS

Bayonet (Ang.Up)

L= 20.0 cm

Tip 1.0 mm



GM-8076 NS

Bayonet (Ang.Down)

L= 16.0 cm

Tip 1.0 mm



GM-8077 NS

Bayonet (Ang.Up)

L= 18.0 cm

Tip 1.0 mm



GM-8078 NS

Bayonet (Ang.Up)

L= 20.0 cm








Tip 1.0 mm










GM-8079 NS





<p>McPherson (Str.)</p> <p>L= 9.0 cm</p> <p>Tip 0.5 mm</p>		GM-8080
<p>McPherson (Crv.)</p> <p>L= 9.0 cm</p> <p>Tip 0.5 mm</p>		GM-8081
<p>Coaptation Nadler</p> <p>L= 10.8 cm</p> <p>Tip 0.5 mm</p>		GM-8082
<p>Coaptation</p> <p>L= 10.8 cm</p> <p>Tip 0.5 mm</p>		GM-8083
<p>Jeweler # 5</p> <p>L= 11.0 cm</p> <p>Tip 0.5 mm</p>		GM-8084
<p>Jeweler # 4</p> <p>L= 11.5 cm</p> <p>Tip 0.5 mm</p>		GM-8085
<p>Tenzel</p> <p>L= 11.5 cm</p> <p>Tip 0.5 mm</p>		GM-8087







Jeweler # 7		GM-8088
L= 11.5 cm		
Tip 0.5 mm		
Iris (Str.)		GM-8089
L= 10.8 cm		
Tip 0.5 mm		
Iris (Crv.)		GM-8090
L= 10.8 cm		
Tip 1.0 mm		
Adson		GM-8091
L= 12.1 cm		
Tip 1.0 mm		
Semkin		GM-8092
L= 14.0 cm		
Tip 1.0 mm		
Cushing		GM-8093
L= 16.0 cm		
Tip 1.0 mm		
Cushing		GM-8094
L= 11.5 cm		
Tip 1.0 mm		





Cushing (Gursh)		GM-8095
L= 18.0 cm		
Tip 1.0 mm		
Gerald (Str)		GM-8096
L= 17.8 cm		
Tip 1.0 mm		
Gerald (Crv)		GM-8097
L= 17.8 cm		
Tip 1.0 mm		
Gerald Bayonet		GM-8098
L= 17.8 cm		
Tip 1.0 mm		
Jansen Bayonet		GM-8099
L= 15.0 cm		
Tip 1.0 mm		
Jansen Bayonet		GM-8100
L= 18.0 cm		
Tip 1.0 mm		
Malis		GM-8101
L= 17.8 cm		
Tip 1.0 mm		

<p>Scollive Green-Wood</p> <p>L= 19.1 cm</p> <p>Tip 1.5 mm</p>		GM-8102
<p>Yasargil</p> <p>L= 19.8 cm</p> <p>Tip 1.0 mm</p>		GM-8103
<p>Hardy Bayonet</p> <p>L= 12.5 cm</p> <p>Tip 1.0 mm</p>		GM-8104
<p>Hardy Bayonet (Ang)</p> <p>L= 21.5 cm</p> <p>Tip 1.0 mm</p>		GM-8105





<p>McPherson (Str)</p> <p>L= 9.0 cm</p> <p>Tip 0.5 mm</p>		GM-8106 NS
<p>McPherson (Crv)</p> <p>L= 9.0 cm</p> <p>Tip 0.5 mm</p>		GM-8107 NS
<p>Jewelery #5</p> <p>L= 11.5 cm</p> <p>Tip 0.5 mm</p>		GM-8108 NS
<p>Jeweler # 4</p> <p>L= 11.5 cm</p> <p>Tip 0.5 mm</p>		GM-8109 NS
<p>Adson</p> <p>L= 12.1 cm</p> <p>Tip 1.0 mm</p>		GM-8110 NS
<p>Semkin</p> <p>L= 14.0 cm</p> <p>Tip 1.0 mm</p>		GM-8111 NS
<p>Cushing</p> <p>L= 16.0 cm</p> <p>Tip 1.0 mm</p>		GM-8112 NS

Cushing

L= 18.0 cm

Tip 1.0 mm



GM-8113 NS

Gerald Bayonet

L= 17.8 cm

Tip 1.0 mm



GM-8114 NS

Jansen Bayonet

L= 18.0 cm

Tip 1.0 mm



GM-8115 NS

Scollive Green-Wood

L= 19.1 cm

Tip 1.5 mm



GM-8116 NS

Yasargil

L= 19.8 cm

Tip 1.0 mm



GM-8117 NS

Hardy Bayonet

L= 21.5 cm

Tip 1.0 mm



GM-8118 NS



Semkin  
Irrigation



GM-8119 IR

Gerald Bayonet  
Irrigation



GM-8120 IR

Jansen Bayonet  
Irrigation



GM-8121 IR

Scollive Green-Wood  
Irrigation



GM-8122 IR

Hardy Bayonet  
Irrigation



GM-8123 IR

McPherson (Str.)

L= 9.0 cm

Tip 0.5 mm



GM-8124 FNS

McPherson (Crv.)

L= 9.0 cm

Tip 0.5 mm



GM-8125 FNS

Jeweler # 5

L= 11.5 cm

Tip 0.5 mm



GM-8126 FNS

Adson

L= 12.1 cm

Tip 1.0 mm



GM-8127 FNS

Cushing (Str.)

L= 16.0 cm

Tip 1.0 mm



GM-8128 FNS

Jansen Bayonet

L= 18.0 cm

Tip 1.0 mm



GM-8129 FNS

Jansen Bayonet

L= 20.0 cm

Tip 1.0 mm



GM-8130 FNS

Bayonet Full Non-Stick

L= 16.0 cm

Tip 1.0 mm



GM-8131 FNS



Bayonet Full Non-Stick

L= 18.0 cm

Tip 1.0 mm



GM-8132 FNS

Bayonet Full Non-Stick

L= 20.0 cm

Tip 1.0 mm



GM-8133 FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 1.0 mm



GM-8134 FNS

Bayonet (Irrigation)

L= 20.0 cm

Tip 1.0 mm



GM-8135 FNS

Bayonet (Irrigation)

L= 22.0 cm

Tip 1.0 mm



GM-8136 FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 1.0 mm



GM-8137 FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 0.5 mm



GM-8138 FNS

Bayonet Full Non-Stick

L= 24.0 cm

Tip 1.0 mm



GM-8139 FNS





Gerald Straight

Single Use



GM-8149 S

Jansen Bayonet

Irrigation



GM-8150 IRS

Jansen Bayonet

Single Use



GM-8151 S

Jeweler # 5

Single Use



GM-8152 S

Adson Forceps

Single Use



GM-8153 S

Cushing Forceps

Size: 16.0 cm

Tip: 1.0 mm



GM-8154 S

Jansen Bayonet ang-up

Size: 20.0 cm

Tip: 1.0 mm



GM-8154 S

Jeweler # 5

L= 11.5 cm

Tip 0.5 mm



GM-8155 FNS

Jeweler # 5

L= 11.5 cm

Tip 0.5 mm



GM-8156 FNS

Straight Full Non-Stick

L= 12.0 cm

Tip 1.0 mm



GM-8157 FNS

Straight (Ang.)

L= 16.0 cm

Tip 1.0 mm



GM-8158 FNS

Bayonet Full Non-Stick

L= 18.0 cm

Tip 1.0 mm



GM-8159 FNS

Bayonet Full Non-Stick

L= 20.0 cm

Tip 1.5 mm



GM-8160 FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 1.5 mm



GM-8161 FNS

Bayonet Full Non-Stick

L= 22.0 cm

Tip 1.0 mm



GM-8162 FNS



Jansen Bayonet

Size: 18.0 cm

Tip: 1.0 mm



GM-8163 S

Jeweler # 4

Size: 11.5 cm

Tip: 0.5 mm



GM-8164 S

Adson Forceps

Size: 12.1 cm

Tip: 1.0 mm



GM-8165 S

Jansen Bayonet

Size: 18.0 cm

Tip: 1.0 mm



GM-8166 S

Jansen Bayonet

Size: 20.0 cm

Tip: 1.0 mm



GM-8167 S

Bayonet Forceps

Size: 18.0 cm

Tip: 1.0 mm



GM-8173 S

Bayonet Forceps

Size: 20.0 cm

Tip: 1.0 mm



GM-8174 S

Straging Forceps

Size: 20.0 cm

Tip: 1.0 mm



GM-8175 S

Straight Forceps (ang)

Size: 14.0 cm

Tip: 1.0 mm



GM-8176 S

Straight Forceps

Size: 14.0 cm

Tip: 1.0 mm



GM-8177 S



Jeweler # 5  
Single Use



GM-8168 S

Straight Forceps  
Single Use



GM-8169S

Bayonet Forceps  
Single Use



GM-8170 S

Straight Forceps  
Single Use



GM-8171 S

Straight Forceps (ang)  
Single Use



GM-8172 S



**Silicone Monopolar Cables 10'' (3.0m)**  
GM-8185  
Instrument Connector: Screw Type  
Generator Connector: Standard Bovie 8.0mm Plug  
Compatibility: Valleylab, Conmed, Bovie



**Silicone Monopolar Cables 10'' (3.0m)**  
GM-8186  
Instrument Connector: 4.0mm Male Fitting  
Generator Connector: Standard 4.0mm Banana Plug  
Compatibility: Valleylab, Conmed & All ES Generators



**Silicone Monopolar Endoscopic Cable 10'' (3.0m)**  
GM-8187  
Instrument Connector: 4.0mm Female Plug  
Generator Connector: Standard Bovie 8.0mm Plug  
Compatibility: Valleylab, Conmed, Bovie



**Silicone Monopolar Endoscopic Cable 10'' (3.0m)**  
GM-8188  
Instrument Connector: 4.0mm Female Plug  
Generator Connector: Standard 4.0mm Banana Plug  
Compatibility: Valleylab, Conmed & All ES Generators



**Silicone Diathermy Cable 10'' (3.0m)**  
GM-8189  
Instrument Connector: 4.8mm Male Fitting  
Generator Connector: Standard Bovie 8.0mm Plug  
Compatibility: Valleylab, Conmed, Bovie



**Silicone Diathermy Cable 10'' (3.0m)**  
GM-8190  
Instrument Connector: 4.8mm Male Fitting  
Generator Connector: Standard 4.0mm Banana Plug  
Compatibility: Valleylab, Conmed & All ES Generators





**Silicone Bipolar Cables 10" (3.0m)**  
**GM-8178**  
 Instrument Connector: USA 2-Pin Plug  
 Generator Connector: 4.0mm Banana Plug  
 Compatibility: Valleylab, Conmed, Codman, Olpymus and Mbst Bipolar Generator



**Silicone Bipolar Cables 10" (3.0m)**  
**GM-8179**  
 Instrument Connector: European Flat Plug  
 Generator Connector: Martin Type  
 Compatibility: Aesculap, Martin, Wolf, Berchold



**Silicone Bipolar Cables 10" (3.0m)**  
**GM-8180**  
 Instrument Connector: European Flat Plug  
 Generator Connector: 4.0mm Banana Plug  
 Compatibility: Valleylab, Conmed, Codman, Olpymus & Mbst Bipolar Generator



**Silicone Bipolar Cables 10" (3.0m)**  
**GM-8181**  
 Instrument Connector: USA2-Pin Plug  
 Generator Connector: Martin Type  
 Compatibility: Aesculap, Martin, Wolf, Berchold



**Silicone Bipolar Cables 10" (3.0m)**  
**GM-8182**  
 Instrument Connector: USA2-Pin Plug  
 Generator Connector: Erbe Type  
 Compatibility: Eibe, Siemens, Downs



**Silicone Bipolar Cables 10" (3.0m)**  
**GM-8183**  
 Instrument Connector: USA2-Pin Plug  
 Generator Connector: Pin Distance 29.0mm  
 Compatibility: Valleylab, EMS, Dolley


**Silicone Bipolar Cables 10" (3.0m)**  
**GM-8184**  
 Instrument Connector: European Flat Plug  
 Generator Connector: Pin Distance 29.0mm  
 Compatibility: Valleylab, EMS, Dolley







**Turnur Warwick Scissor**  
(Straight)  
GM-8191




**Surgical Scissor**  
(Straight)  
GM-8193



**Turnur Warwick Scissor**  
(Curved)  
GM-8192



**Surgical Scissor**  
(Curved)  
GM-8194



**Abbey Sub Needle**  
17.5cm  
GM-8195



**Willson Hey Forceps**  
(Straight)  
GM-8196

**Richie Forceps**  
(Straight)  
GM-8197



**Willson Hey Forceps**  
(Curved)  
GM-8198



**Artery Forceps**  
(Straight)  
GM-8199



**Artery Forceps**  
(Curved)  
GM-8200



Adson



GM-8201

Mcldone



GM-8202

Gillie



GM-8203

Dissecting Forceps



GM-8204

Gerald (1x2)



GM-8205

Adson Bayonet



GM-8206

Adson Bayonet  
Angle Up



GM-8207

Remington Hob



GM-8208




**Artery Forceps Bi-Clamp**  
GM-8209




**Artery Forceps Non Stick**  
GM-8210



**Artery Forceps**  
GM-8211



**Artery Forceps**  
GM-8212



**Silicone Bi-Clamp Connecting cord**





**Straight**

**GM-8213**



**Angled**

**GM-8214**



**Angled**

**GM-8215**



**Angled 45°**

**GM-8216**



**Angled 90°**

**GM-8217**



**Bi-Turbinate Probe**

**Size: 17.5cm**

**GM-8218**





**Blade Electrode**  
Disposable: GM-8219



**Ball Electrode (crv.) (3.0 mm)**  
Disposable: GM-8222



**Needle Electrode**  
Disposable: GM-8225



**Needle Electrode (crv.)**  
Disposable: GM-8228



**Ball Electrode (2.0 mm)**  
Disposable: GM-8231



**Ball Electrode (crv.) (2.0 mm)**  
Disposable: GM-8233



**Bladeelectrode (Shaft 13 .0 cm)**  
Disposable: GM-8236



**Bladeelectrode (Shaft 13 .0 cm)**  
Disposable: GM-8238



**Bladeelectrode (Shaft 13 .0 cm)**  
Disposable: GM-8240



**Ball Electrode (3.0 mm)**  
Disposable: GM-8220



**Blade Electrode (crv.)**  
Disposable: GM-8223



**Ball Electrode (4.0 mm)**  
Disposable: GM-8226



**Ball Electrode (crv.) (4.0 mm)**  
Disposable: GM-8230



**Ball Electrode (5.0 mm)**  
Disposable: GM-8232



**Ball Electrode (crv.) (5.0 mm)**  
Disposable: GM-8234



**Circle Loop Electrode 4.0 mm**  
Reusable: GM-8221



**Circle Loop Electrode 4.0 mm**  
Reusable: GM-8224




**Circle Loop Electrode 8.0 mm**  
Reusable: GM-8227



**Diamond Electrode 8.0 mm**  
Reusable: GM-8229



**Tip Cleaner GM-8235**



**Holster GM-8237**




**Bladeelectrode (Shaft 13 .0 cm)**  
Disposable: GM-8239




**Conizationelectrode**  
Diposable : GM-8241






Conization Electrode  
Disposable # GM-8242



Conization Electrode  
Disposable # GM-8243



Conization Electrode  
Disposable # GM-8244



Conization Electrode  
Disposable # GM-8245



Conization Electrode  
Disposable # GM-8246



Extender Electrode  
# GM-8247 Size: 7.0 cm



Extender Electrode  
# GM-8248 Size: 13.0 cm



Extender Electrode # GM-8249 Size: 18.0 cm





**Blade Electrode**  
Reusable GM-8250



**Ball Electrode**  
Reusable GM-8251



**Blade Electrode (Crv)**  
Reusable GM-8252



**Ball Electrode (Crv) 3mm**  
Reusable GM-8253



**Needle Electrode**  
Reusable GM-8254



**Ball Electrode (4mm)**  
Reusable GM-8255



**Needle Electrode (Crv)**  
Reusable GM-8257



**Ball Electrode (Crv) (4mm)**  
Reusable GM-8258



**Ball Electrode (2mm)**  
Reusable GM-8259



**Ball Electrode (5mm)**  
Reusable GM-8260



**Ball Electrode (Crv) (2mm)**  
Reusable GM-8262



**Ball Electrode (Crv) (5mm)**  
Reusable GM-8263



**Blade Electrode (Shaft 13.0cm)**  
Reusable GM-8265



**Round Loop Electrode (7.0cm) 4.0mm**  
Reusable GM-8256



**Round Loop Electrode (7.0cm) 6.0mm**  
Reusable GM-8259



**Round Loop Electrode (7.0cm) 8.0mm**  
Reusable GM-8261



**Round Loop Electrode (7.0cm) 10.0mm**  
Reusable GM-8264



**Needle Electrode (Shaft 13.0cm)**  
Reusable GM-8267



**Plate Electrode Small**  
Reusable GM-8266



**Ball Electrode 3mm (Shaft 13.0 cm)**  
Reusable GM-8268



**Plate Electrode Large**  
Reusable GM-8269




**Ball Electrode 4mm (Shaft 13.0cm)**  
Reusable GM-8270



**Ball Electrode 5mm (Shaft 13.0cm)**  
Reusable GM-8271



**Patient Return Plate Reusable**  
5m Cable # GM-8271



**Patient Return Plate Reusable**  
(5m Cable) GM-8272



**Patient Return Cable**  
GM-8273- a(5m cable)  
GM-8274- b(3m Cable)



**Patient Return Cable**  
GM-8275- a(5m cable)  
GM-8276- b(3m Cable)



**S.S Patient Return Plate**  
(16x12cm) GM-8277



WITHOUT SUCTION



GM-8278-Hook Electrode (36cm)



GM-8280-Hook Electrode (36cm)



GM-8282-Needle-Hook Electrode (36cm)



GM-8284-Spatula-Hook Electrode (36cm)



GM-8286-Ball-Hook Electrode (36cm)

WITH SUCTION



GM-8279L-Hook Electrode (Irrigation) (36cm)



GM-8281J-Hook Electrode (Irrigation) (36cm)



GM-8283-Needle-Hook Electrode (Irrigation) (36cm)



GM-8285-Spatula-Hook Electrode (Irrigation) (36cm)



GM-8287-Ball-Hook Electrode (Irrigation) (36cm)



Laparoscopic Electrodes





**Graves Vaginal Speculum**  
with smoke evacuation tube  
**Small:** GM-8288  
**Medium:** GM-8289  
**Large:** GM-8290



**VU-Max Speculum**  
with smoke evacuation tube  
**Small:** GM-8291  
**Medium:** GM-8292  
**Large:** GM-8293



**Pederson Vaginal Speculum**  
with smoke evacuation tube  
**Small:** GM-8294  
**Medium:** GM-8295  
**Large:** GM-8296



**VU-More (Graves) Speculum**  
with smoke evacuation tube  
**Small:** GM-8300  
**Medium:** GM-8301  
**Large:** GM-8302

**Cusco Speculum**  
with smoke evacuation tube  
**Small:** GM-8297  
**Medium:** GM-8298  
**Large:** GM-8299



**Collin Speculum**  
with smoke evacuation tube  
**Small:** GM-8303  
**Medium:** GM-8304  
**Large:** GM-8305





**Weisman Speculum with Suction (Left Open)**  
**Small:** GM-8306  
**Medium:** GM-8307  
**Large:** GM-8308



**Weisman Speculum with Suction (Right Open)**  
**Small:** GM-8309  
**Medium:** GM-8310  
**Large:** GM-8311



**Dressing Forceps**  
 GM-8312(21.0 cm)  
 GM-8313(25.0 cm)



**Tissue Forceps**  
 GM-8314(21.0 cm)  
 GM-8315(25.0 cm)



**Iris Hook**  
 GM-8316(25.0 cm)



**Emmet Hook**  
 GM-8317(25.0 cm)



**Straight Hook**  
 GM-8318(25.0 cm)



**Two-Prong Hook**  
 GM-8319(25.0 cm)





**Lateral Vaginal  
Retractor - GM-8320**



**Kogan Endocervical  
Speculum - GM-8321**



**Lateral Vaginal Retractor  
(wide-Open) GM-8322**



**Rigby Retractor  
GM-8323**



**Rigby Retractor  
GM-8324**



**3mm GM-8325**




**4mm GM-8326**



**3mm GM-8327**



**Kogan Endocervical Speculum**  
GM-8329



**Lateral Vaginal Retractor**  
GM-8328









**Graves Speculum with smoking evacuation tube**  
Small: GM-8330  
Medium: GM-8331  
Large: GM-8332



**Collin Speculum with smoking evacuation tube**  
Small: GM-8333  
Medium: GM-8334  
Large: GM-8335


**Pederson Graves Speculum with smoking evacuation tube**  
Small: GM-8336  
Medium: GM-8337  
Large: GM-8338






Mohala Mughal Pura, Near Amina Masjid, Gohadpur,  
Sialkot 51310, Pakistan.


 0092 309-0222330

 0092 52 4563874


 info@glesco-med.com


 glescomed@gmail.com


 www.glesco-med.com

 glesco-med

 glescomed

 glesco\_med

 glescomed

 glesco-med-surgical-077788287

